



槽刀系列

Grooving Holder series

槽刀 Grooving Holder

目录 Contents

MGEHR/L(P207-P208)



MGIVR/L(P208-209)



DBH(P209)



FGHH/FGVH(P210-P211)



FGHH



FGVH

ZQ□□R/L(P212)



SGTR/L(P212)




CGBR/L(P213)



SPB(P213)



SMBB(P214)



SNGR/L(P214)



SGB□□R/L(P215)



CGB□□R/L(P215)



KTGFR/L(P216)



STGFS(P216)



S-KTGFR/L(P217)



SMP05(P217)




WTD(P218)




槽刀 Grooving Holder

MGEHR/L



进给方向
Feed direction



右手图示
Right hand
illustration

参考 Reference	刀杆形状 Cutter bar shape	适用条件 Applicable conditions				适用刀片 Applicable insert	配件 Accessories			
注释 Note		宽槽，深槽加工 Wide and deep grooving								
(mm)							螺丝 Screw	扳手 Wrench		
型号 Model	H=(h)	W	L	S	T _{Max}					
MGEHR1010-2	10	10	110	10.25	10	MGMN200-G MGMN200-M	M5*16	T20		
MGEHR1212-2	12	12	115	12.25	10		M4*16	L3		
MGEHR1010-3	10	10	110	10.25	10	MGMN300-G MGMN300-M	M5*16	T20		
MGEHR1212-3	12	12	115	12.25	10		M4*16	L3		
MGEHR1212-4	12	12	115	12.25	10	MGMN400-G MGMN400-M	M4*16	L3		
MGEHR1616-4	16	16	115	16.25	17		M6*25	L5		
MGEHR/L1616-1.5	16	16	100	16.25	14.5	MGMN150-G	M5 × 16	L4.0		
MGEHR/L2020-1.5	20	20	125	20.25	14.5					
MGEHR/L2525-1.5	25	25	150	25.25	14.5					
MGEHR/L1212-2	12	12	100	14.25	14.5	MGMN200-G MGMN200-M	M6 × 20	L5.0		
MGEHR/L1616-2	16	16	100	16.25	14.5					
MGEHR/L2020-2	20	20	125	20.25	14.5					
MGEHR/L2525-2	25	25	150	25.25	14.5	MGMN250-G MGMN250-M	M5 × 16	L5.0		
MGEHR/L1616-2.5	16	16	100	16.30	16.5					
MGEHR/L2020-2.5	20	20	125	20.30	16.5					
MGEHR/L2525-2.5	25	25	150	25.30	16.5	MGMN300-G MGMN300-□□-M MRMN300-G	M6 × 25	L5.0		
MGEHR/L1616-3	16	16	100	16.35	18.5					
MGEHR/L2020-3	20	20	125	20.4	18					
MGEHR/L2020-3-T10	20	20	125	20.4	10					
MGEHR/L2525-3	25	25	150	25.4	18					
MGEHR/L2525-3-T10	25	25	150	25.4	10					
MGEHR/L3232-3	32	32	170	32.4	18	MGMN400-G MGMN400-□□-M MRMN400-G				
MGEHR/L3232-3-T10	32	32	170	32.4	10					
MGEHR/L2020-4	20	20	125	20.4	18					
MGEHR/L2020-4-T10	20	20	125	20.4	10					
MGEHR/L2525-4	25	25	150	25.4	180					
MGEHR/L2525-4-T10	25	25	150	25.4	10					
MGEHR/L3232-4	32	32	170	32.4	18	MGMN500-G MGMN500-□□-M MRMN500-G				
MGEHR/L3232-4-T10	32	32	170	32.4	10					
MGEHR/L2020-5	20	20	150	20.5	23					
MGEHR/L2020-5-T15	20	20	150	20.5	15					
MGEHR/L2525-5	25	25	150	25.5	23					
MGEHR/L2525-5-T15	25	25	150	25.5	15					
MGEHR/L3232-5	32	32	170	32.5	23					
MGEHR/L3232-5-T15	32	32	170	32.5	15					



槽刀 Grooving Holder

MGEHR/L

参考 Reference	刀杆形状 Cutter bar shape	适用条件 Applicable conditions					适用刀片 Applicable insert	配件 Accessories			
注释 Note		宽槽，深槽加工 Wide and deep grooving									
(mm)									螺丝 Screw	扳手 Wrench	
型号 Model	H(h)	W	L	S	T _{Max}		MGMN600-M MGMN600-□□-M MRMN600-M	M6 × 25	L5.0		
MGEHR/L2020-6	20	20	125	20.6	23						
MGEHR/L2020-6-T15	20	20	125	20.6	15						
MGEHR/L2525-6	25	25	150	25.6	23						
MGEHR/L2525-6-T15	25	25	150	25.6	15						
MGEHR/L3232-6	32	32	170	32.6	23						
MGEHR/L3232-6-T15	32	32	170	32.6	15						
MGEHR/L2525-8	25	25	150	26.1	28	MGMN800-M					
MGEHR/L2525-8-T15	25	25	150	26.1	15						
MGEHR/L3232-8	32	32	170	33.1	25						
MGEHR/L3232-8-T15	32	32	170	33.1	16						
MGEHR/L2525-6A	25	25	150	25.6	23	MGMN600-A					
MGEHR/L2525-6A-T15	25	25	150	25.6	15						
MGEHR/L3232-6A	32	32	170	32.6	23						
MGEHR/L3232-6A-T15	32	32	170	32.6	15						
MGEHR/L2525-8A	25	25	150	26.1	28	MGMN800-A					
MGEHR/L2525-8A-T15	25	25	150	26.1	16						
MGEHR/L3232-8A	32	32	170	33.1	28						
MGEHR/L3232-8A-T15	32	32	170	33.1	15						

槽刀 Grooving Holder

MGIVR/L



参考 Reference	刀杆形状 Cutter bar shape	适用条件 Applicable conditions							适用刀片 Applicable insert	配件 Accessories	
注释 Note		宽槽，深槽加工 Wide and deep grooving									
(mm)										螺丝 Screw	扳手 Wrench
型号 Model	φ D	φ d	L	ℓ	T _{Max}	H	S				
MGIVR/L2016-1.5	20	16	125	35	4	15	11.3	MGMN150-G	M5 × 13	L2.5	
MGIVR/L2520-1.5	25	20	150	45	4	18	13.1		M5 × 17	L4.0	
MGIVR/L2925-1.5	29	25	200	45	4	23	16.2				
MGIVR/L2016-2	20	16	125	35	5	15	12.4	MGMN200-G MGMN200-M	M5 × 13	L2.5	
MGIVR/L2520-2	25	20	150	45	5	18	14.0			L2.5	
MGIVR/L2925-2	29	25	200	45	5	23	17.2				
MGIVR/L2016-2.5	20	16	125	35	6	15	12.5	MGMN250-G MGMN250-M	M5 × 13	L4.0	
MGIVR/L2520-2.5	25	20	150	45	6	18	15.1			L2.5	
MGIVR/L2925-2.5	29	25	200	45	6	23	18.2				


槽刀 Grooving Holder

MGIVR/L


参考 Reference	刀杆形状 Cutter bar shape	适用条件 Applicable conditions						适用刀片 Applicable insert	配件 Accessories	
注释 Note		宽槽，深槽加工 Wide and deep grooving								
(mm)									螺丝 Screw	扳手 Wrench
型号 Model	φ D	φ d	L	ℓ	T _{Max}	H	S	MGMN300-M MGMN300-□□-M MRMN300-M MGMN400-M MGMN400-□□-M MRMN400-M MGMN500-M MGMN500-□□-M MRMN500-M MGMN600-M MGMN600-□□-M MRMN600-M MRMN800-M MRMN600-A MRMN800-A	M5 × 17	L4.0
MGIVR/L2520-3	25	20	150	45	6	18	15.6			
MGIVR/L3125-3	31	25	200	45	6	23	18.9			
MGIVR/L3732-3	37	32	250	65	6	30	21.5			
MGIVR/L2520-4	35	20	150	45	6	18	12.6			
MGIVR/L3125-4	31	25	200	45	6	23	18.9			
MGIVR/L3732-4	37	32	250	65	6	30	21.5			
MGIVR/L3125-5	31	25	200	45	8	23	19.4			
MGIVR/L3732-5	37	32	250	65	8	30	21.5			
MGIVR/L3125-6	31	23	200	45	8	23	19.4			
MGIVR/L3732-6	37	32	250	65	8	30	21.5			
MGIVR/L3732-8	37	32	250	65	10	30	23.4			
MGIVR/L4540-8	45	40	300	70	10	37	27.2			
MGIVR/L3732-6A	31	25	200	45	8	23	19.4			
MGIVR/L4540-6A	37	32	250	65	8	30	21.5			
MGIVR/L3732-8A	37	32	250	65	10	30	23.4			
MGIVR/L4540-8A	45	40	300	70	10	37	27.2			

槽刀 Grooving Holder


DBH



进给方向
Feed direction




右手图示
Right hand
illustration

参考 Reference	刀杆形状 Cutter bar shape	适用条件 Applicable conditions						适用刀片 Applicable insert	配件 Accessories				
注释 Note		宽槽，深槽加工 Wide and deep grooving							压板 Clamp	压板 螺丝 Clamping screw	螺丝 Screw	刀座 Cutter seat	扳手 Wrench
(mm)													
型号 Model	H=(h)	W	L	ℓ	S								
DBH320R/L	20	20	150	40	22.3*	22.8*	DB300,*400** DC300,400	CGH5R1	M5 × 17	MHB0410	LD34	L3.0 L4.0	
DBH325R/L	25	25	150	40	27.3	27.8							
DBH520R/L	20	20	150	40	23.8	24.3	DB500,600 DC500	CGH5R2		MHB0410	LD56	L3.0 L4.0	
DBH525R/L	25	25	150	40	28.8	29.3							
DBH720R/L	20	20	150	40	25.8	26.6	DB700,800	CGH5R3		MHB0410	LD78	L3.0 L4.0	
DBH725R/L	25	25	150	40	30.8	31.3							

槽刀 Grooving Holder


FGHH/FGVH



参考 Reference	刀杆形状 Cutter bar shape	适用条件 Applicable conditions							适用刀片 Applicable insert	配件 Accessories	
注释 Note		宽槽，深槽加工 Wide and deep grooving									
(mm)										螺丝 Screw	扳手 Wrench
型号 Model	H(h)	W	L	S	T _{Max}	最大 Max	最小 Min		M6 × 25	L5.0	
FGHH/FGVH 320R-20/36	20	20	125	20.6	8	20	36	FMM300R-03			
25/30	20	20	125	20.6	12	25	30				
30/35	20	20	125	20.6	12	30	35				
30/50	20	20	125	20.6	12	30	50				
35/48	20	20	125	20.6	12	35	48				
48/60	20	20	125	20.6	22	48	60	FGD300R-03 FGM300R-03			
50/100	20	20	125	20.6	15	50	100				
60/75	20	20	125	20.6	22	60	75				
75/100	20	20	125	20.6	22	75	100				
80/160	20	20	125	20.6	17	80	160				
100/140	20	20	125	20.6	22	100	140				
160/400	20	20	125	20.6	17	160	400				
200/800	20	20	125	20.6	19	200	800				
FGHH/FGVH 325R-20/36	20	20	150	25.6	8	20	36	FMM300R-03			
25/30	25	25	150	25.6	12	25	30				
30/35	25	25	150	25.6	12	30	35				
30/50	20	20	150	25.6	12	30	50				
35/48	25	25	150	25.6	12	35	48				
48/60	25	25	150	25.6	22	48	60	FGD300R-03 FGM300R-03			
50/100	20	20	150	25.6	15	50	100				
60/75	25	25	150	25.6	22	60	75				
75/100	25	25	150	25.6	22	75	100				
80/160	20	20	150	25.6	17	80	160				
100/140	25	25	150	25.6	22	100	140				
160/400	20	20	150	25.6	17	160	400				
200/800	20	20	150	25.6	19	200	800				
FGHH/FGVH 420R-20/36	20	20	125	20.6	8	20	36	FMM400R-04			
25/30	20	20	125	20.6	12	25	30				
30/35	20	20	125	20.6	12	30	35				
30/50	20	20	125	20.6	12	30	50				
35/48	20	20	125	20.6	12	35	48				
48/60	20	20	125	20.6	25	48	60	FGD400R-04 FGM400R-04			
50/100	20	20	125	20.6	15	50	100				
60/75	20	20	125	20.6	25	60	75				

槽刀 Grooving Holder



FGHH/FGVH



参考 Reference	刀杆形状 Cutter bar shape	适用条件 Applicable conditions							适用刀片 Applicable insert	配件 Accessories	
注释 Note		宽槽，深槽加工 Wide and deep grooving									
(mm)										螺丝 Screw	扳手 Wrench
型号 Model	H(h)	W	L	S	T _{Max}	最大 Max	最小 Min	FGD400R-04 FGM400R-04	M6 × 25	L5.0	
75/100	20	20	125	20.6	25	75	100				
80/160	20	20	125	20.6	17	80	160				
100/140	20	20	125	20.6	25	100	140				
160/400	20	20	125	20.6	17	160	400				
200/800	20	20	125	20.6	19	200	800	FMM400R-04			
FGHH/FGVH 425R-20/36	25	25	150	25.6	8	20	36				
25/30	20	20	150	20.6	12	25	30				
30/35	25	25	150	25.6	12	30	35				
30/50	20	20	150	25.6	12	30	50				
35/48	25	25	150	25.6	12	35	48	FGD400R-04 FGM400R-04			
48/60	25	25	150	25.6	25	48	60				
50/100	20	20	150	25.6	15	50	100				
60/75	25	25	150	25.6	25	60	75				
75/100	25	25	150	25.6	25	75	100				
80/160	20	20	150	25.6	17	80	160				
100/140	20	20	150	25.6	25	100	140				
160/400	20	20	150	25.6	17	160	400				
200/800	20	20	150	25.6	19	200	800	FMM500R-04			
FGHH/FGVH 520R-25/30	20	20	125	20.6	12	25	30				
30/35	20	20	125	20.6	12	30	35				
35/40	20	20	125	20.6	20	35	40				
40/48	20	20	125	20.6	20	40	48	FGD500R-04 FGM500R-04			
48/60	20	20	125	20.6	25	48	60				
60/75	20	20	125	20.6	25	60	75				
75/140	20	20	125	20.6	25	75	100				
100/140	20	20	125	20.6	25	100	140	FMM500R-04			
FGHH/FGVH 525R-25/30	25	25	150	25.6	12	25	30				
30/35	25	25	150	25.6	12	30	35				
35/40	25	25	150	25.6	20	35	40				
40/48	25	25	150	25.6	20	40	48	FGD500R-04 FGM500R-04			
48/60	25	25	150	25.6	25	48	60				
60/75	25	25	150	25.6	25	60	75				
75/140	25	25	150	25.6	25	75	100				
100/140	25	25	150	25.6	25	100	140				

槽刀 Grooving Holder



ZQ□□R/L



参考 Reference	刀杆形状 Cutter bar shape		适用条件 Applicable conditions					适用刀片 Applicable insert	配件 Accessories	
注释 Note			宽槽，深槽加工 Wide and deep grooving							
(mm)									螺丝 Screw	扳手 Wrench
型号 Model	w	b	h	L	h1	f	Tmax			
ZQ1616R/L-03	3.125	16	16	100	16	16.4	18	SP300	M5 × 25	L4
ZQ2020R/L-03	3.125	20	20	125	20	20.4	20			
ZQ2525R/L-03	3.125	25	25	150	25	25.4	20			
ZQ3225R/L-03	3.125	25	32	170	32	25.4	25			
ZQ1616R/L-04	4.125	16	16	100	16	16.4	18	SP400	M6 × 25	L5
ZQ2020R/L-04	4.125	20	20	125	20	20.4	20			
ZQ2525R/L-04	4.125	25	25	150	25	25.4	20			
ZQ3225R/L-04	4.125	32	32	170	32	25.4	25			
ZQ2525R/L-05	5.125	25	25	150	25	25.5	25	SP500	M6 × 25	L5
ZQ3232R/L-05	5.125	32	32	170	32	32.5	25			
ZQ2525R/L-06	6.4	25	25	150	25	25.5	32	SP600	M6 × 25	L5
ZQ3232R/L-06	6.4	32	32	170	32	32.5	32			

槽刀 Grooving Holder



SGTR/L



型号 Model	刀片 Insert	适用条件 Applicable conditions							配件 Accessories	
		w	b	h	L	L1	h1	f	螺丝 Screw	扳手 Wrench
SGTR/L1616H16	GTR/L32	0.33-2.5	16	16	100	22	16	20	M4 × 10	T15
SGTR/L2020K16		0.33-2.5	20	20	125	26	20	25		
SGTR/L2525M16		0.33-2.5	25	25	150	26	25	32		
SGTR/L2020K22-1	GTR/L43125-185	1.25-1.85	20	20	125	26	20	25	M5 × 12	T20
SGTR/L2020K22-2	GTR/L43200-280	2.0-2.8	20	20	125	26	20	25		
SGTR/L2020K22-3	GTR/L43300-450	3.0-4.5	20	20	125	26	20	25		
SGTR/L2525M22-1	GTR/L43125-185	1.25-1.85	25	25	150	26	25	32		
SGTR/L2525M22-2	GTR/L43200-280	2.0-2.8	25	25	150	26	25	32		
SGTR/L2525M22-3	GTR/L43300-450	3.0-4.5	25	25	150	26	25	32		

槽刀 Grooving Holder



CGBR/L



参考 Reference	刀杆形状 Cutter bar shape		适用条件 Applicable conditions					适用刀片 Applicable insert	配件 Accessories		
注释 Note			宽槽，深槽加工 Wide and deep grooving								
(mm)											
型号 Model	w	b	h	L	L1	h1	f		压板 Clamp	螺丝 Screw	扳手 Wrench
CGBR/L1616H16	0.5-2.5	16	16	100	22	16	20	GB32R/L	HL1808	M3.5 x 10 ML0520	T20 L2.5
CGBR/L2020K16	0.5-2.5	20	20	125	26	20	25				
CGBR/L2525M16	0.5-2.5	25	25	150	26	25	32				
CGBR/L2020K22-1	1.25-1.85	20	20	125	26	20	25	GB43R/L125-185	HL1808	M5 x 12 ML0520	T20 L2.5
CGBR/L2020K22-2	2.0-2.8	20	20	125	26	20	25	GB43R/L200-280			
CGBR/L2020K22-3	3.0-4.5	20	20	125	26	20	25	GB43R/L300-450			
CGBR/L2525M22-1	1.25-1.85	25	25	150	26	25	32	GB43R/L125-185			
CGBR/L2525M22-2	2.0-2.8	25	25	150	26	25	32	GB43R/L200-280			
CGBR/L2525M22-3	3.0-4.5	25	25	150	26	25	32	GB43R/L300-450			

槽刀 Grooving Holder


SPB



型号 Model	刀片 Insert	规格 Specification				
		w	b	h	L	h1
SPB26-2	SP200,200R/L	2	1.6	26	26	21
SPB26-3	ZQM x 3N-11-1E SP300,300R/L	3	2.4	26	26	21
SPB26-4	ZQM x 4N-11-1E SP400,400R/L	4	3.2	26	26	21
SPB26-5	ZQM x 5N-11-1E SP500,500R/L	5	4.2	26	26	21
SPB32-2	SP200,200R/L	2	1.6	32	32	27
SPB32-3	ZQM x 3N-11-1E SP300,300R/L	3	2.4	32	32	27
SPB32-4	ZQM x 4N-11-1E SP400,400R/L	4	3.2	32	32	27
SPB32-5	ZQM x 5N-11-1E SP500,500R/L	5	4.2	32	32	27
SPB32-6	ZQM x 6N-11-1E SP600,600R/L	6	5.2	32	32	27

槽刀 Grooving Holder



SMBB



型号 Model	规格 Specification									扳手 Wrench
	H	W	H3	L	H1	H2	W1	B	M	
SMBB1626	16	12	26	86	43	13	30	5.3	3-M6	L5
SMBB2026	20	19				9				
SMBB2032			32	100	50	13	38			
SMBB2526	25	23	26	86	43	4	42			
SMBB2532			32	110	50	8				
SMBB3232	32	30			54	5	30			

槽刀 Grooving Holder



SNGR/L



型号 Model	刀片 Insert	适用条件 Applicable conditions							配件 Accessories	
		Tmax	ϕd	F	L1	L	H		螺丝 Screw	扳手 Wrench
S08H-SNGR/L06	6GR/L	2	8	4.7	15	100	7		M2.2×4	T7
S08H-SNGR/L07	7GR/L	2	8	5.8	15	100	7		M2.5×6	T7
S10K-SNGR/L07	7GR/L	2	10	6.8	15	125	8		M2.5×6	T7
S10K-SNGR/L08	8GR/L	3.5	10	7.6	20	125	8		M2.5×6	T7
S12M-SNGR/L08	8GR/L	3.5	12	8.6	20	150	11		M2.5×6	T7
S16Q-SNGR/L09	9GR/L	3.5	16	11.6	20	180	14.8		M2.5×6	T8
S20R-SNGR/L09	9GR/L	3.5	20	13.6	20	200	18.4		M2.5×6	T8
H08H-SNGR/L06	6GR/L	2	8	4.7	15	100	7		M2.2×4	T7
H08H-SNGR/L07	7GR/L	2	8	5.8	15	100	7		M2.5×6	T7
H10K-SNGR/L07	7GR/L	2	10	6.8	15	125	8		M2.5×6	T7
H10K-SNGR/L08	8GR/L	3.5	10	7.6	20	125	8		M2.5×6	T7
H12M-SNGR/L08	8GR/L	3.5	12	8.6	20	150	11		M2.5×6	T7
H16Q-SNGR/L09	9GR/L	3.5	16	11.6	20	180	14.8		M2.5×6	T8
H20R-SNGR/L09	9GR/L	3.5	20	13.6	20	200	18.4		M2.5×6	T8

槽刀 Grooving Holder



SGB□□R/L



型号 Model	刀片 Insert	规格 Specification							螺丝 Screw	扳手 Wrench
		w	b	h	L	L1	h1	f		
SGBR/L1616H16	GBR/L32	0.33-2.5	16	16	100	22	16	20	M4 × 10	T15
SGBR/L2020K16		0.33-2.5	20	20	125	26	20	25		
SGBR/L2525M16		0.33-2.5	25	25	150	26	25	32		
SGBR/L1616H22-1	GBR/L43125-185	1.25-1.85	16	16	100	26	16	20	M5 × 12	T20
SGBR/L1616H22-2	GBR/L43200-280	2.0-2.8	16	16	100	26	16	20		
SGBR/L1616H22-3	GBR/L43300-450	3.0-4.5	16	16	100	26	16	20		
SGBR/L2020K22-1	GBR/L43125-185	1.25-1.85	20	20	125	26	20	25	M5 × 12	T20
SGBR/L2020K22-2	GBR/L43200-280	2.0-2.8	20	20	125	26	20	25		
SGBR/L2020K22-3	GBR/L43300-450	3.0-4.5	20	20	125	26	20	25		
SGBR/L2525M22-1	GBR/L43125-185	1.25-1.85	25	25	150	26	25	32		
SGBR/L2525M22-2	GBR/L43200-280	2.0-2.8	25	25	150	26	25	32		
SGBR/L2525M22-3	GBR/L43300-450	3.0-4.5	25	25	150	26	25	32		

槽刀 Grooving Holder



CGB□□R/L



型号 Model	刀片 Insert	规格 Specification							压板 Clamp	螺丝 Screw	扳手 Wrench
		w	b	h	L	L1	h1	f			
CGBR/L1616H16	GB32R/L	0.5-2.5	16	16	100	22	16	20	HL1808	M3.5 × 10 ML0520	T20 L2.5
CGBR/L2020K16		0.5-2.5	20	20	125	26	20	25			
CGBR/L2525M16		0.5-2.5	25	25	150	26	25	32			
CGBR/L1616H22-1	GB43R/L125-185	1.25-1.85	16	16	100	26	16	20	HL1808	M5 × 12 ML0520	T20 L2.5
CGBR/L1616H22-2	GB43R/L200-280	2.0-2.8	16	16	100	26	16	20			
CGBR/L1616H22-3	GB43R/L300-450	3.0-4.5	16	16	100	26	16	20			
CGBR/L2020K22-1	GB43R/L125-185	1.25-1.85	20	20	125	26	20	25			
CGBR/L2020K22-2	GB43R/L200-280	2.0-2.8	20	20	125	26	20	25			
CGBR/L2020K22-3	GB43R/L300-450	3.0-4.5	20	20	125	26	20	25			
CGBR/L2525M22-1	GB43R/L125-185	1.25-1.85	25	25	150	26	25	32			
CGBR/L2525M22-2	GB43R/L200-280	2.0-2.8	25	25	150	26	25	32			
CGBR/L2525M22-3	GB43R/L300-450	3.0-4.5	25	25	150	26	25	32			

槽刀 Grooving Holder


KTGFR/L



型号 Model	刀片 Insert	规格 Specification							螺丝 Screw	扳手 Wrench
		w	b	h	L	h1	f	L1		
KTGFR/L1616H-16F	TGF32R/L	0.75- 2.0	16	16	100	16	16	22	M3.5 × 10	T15
KTGFR/L2020K-16F			20	20	125	20	20	26		
KTGFR/L2525M-16F			25	25	150	25	25	26		
KTGFR/L1616H-16			16	16	100	16	20	22		
KTGFR/L2020K-16			20	20	125	20	25	26		
KTGFR/L2525M-16			25	25	150	25	32	26		
KTGFR/L1616H-22	TG43R/L	1.25- 4.5	16	16	100	16	20	27	M5 × 12	T20
KTGFR/L2020K-22			20	20	125	20	25	27		
KTGFR/L2525M-22			25	25	150	25	32	27		

槽刀 Grooving Holder


STGFS



型号 Model	刀片 Insert	适用条件 Applicable conditions						配件 Accessories	
		h	b	F1	h1	L2	L		
STGFSR/L1616H16	TGFL/R32	16	16	20	16	20	100	M4x10	T15
STGFSR/L2020K16		20	20	25	20	22	125		
STGFSR/L2525M16		25	25	32	25	25	150		
STGFSR/L2020K22	TGFL/R43	20	20	25	20	25	125	M5x10.5	T20
STGFSR/L2525M22		25	25	32	25	28	150		

槽刀 Grooving Holder


S-KTGFR/L



型号 Model	刀片 Insert	适用条件 Applicable conditions					配件 Accessories	
								
		Tmax	Dim	Φd	L	H	螺丝 Screw	扳手 Wrench
S16Q-KTGFR/L16	TGF32L/R	2.5	20	16	180	14.5	M4x10	T15
S20R-KTGFR/L16		2.5	25	20	200	18.4		
S25S-KTGFR/L16		2.5	30	25	250	23		
S32T-KTGFR/L16		2.5	38	32	300	30		

槽刀 Grooving Holder


SMP05-□-□-TGF32T□-160



型号 Model	刀片 Insert	规格 Specification					螺钉 Screw	扳手 Wrench
		L	L1	ΦD	Φd	Tmax		
SMP05-016-XP20-TGF32T1-160	GBR/L32	160	65	20	11	16	M4*8	T15
SMP05-020-XP20-TGF32T1-160		160	65	20	14	20		
SMP05-032-XP25-TGF32T3-160		160	26	25	24.6	31		

刀套 Tool sleeve

2020-口带扁刀套 (with flat tool sleeve at the mouth)



型号 Model	规格 Specification			
	ΦD	b	h	L
1616-06	6	16	16	80
1616-07	7	16	16	80
1616-08	8	16	16	80
1616-10	10	16	16	80
2020-06	6	20	20	80
2020-07	7	20	20	80
2020-08	8	20	20	80
2020-10	10	20	20	80
2020-12	12	20	20	80
2020-14	14	20	20	80



**PT ELOK
TEKNIK
SEJAHTERA**

 **081217485908**

 **eloktekniksejahtera@gmail.com**



**Crystal Boulevard, Jalan Bulevar Ahmad Yani
Blok ND No 51 Summarecon Bekasi,
Bekasi, Jawa Barat 17143**



**elokteknik.com
deskart.id**